

PE33437LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX
PE33436-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE RIGHT ANGLE TO ; 75 OHM BNC MALE RIGHT ANGLE; 75 OHM, RG216/U COAX; 72" CABLE LENGTH
PE33437LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 36" CABLE LENGTH
PE33437LF-48	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 48" CABLE LENGTH
PE33437LF-60	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 60" CABLE LENGTH
PE33437LF-72	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 72" CABLE LENGTH
PE33438-12	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 12" CABLE LENGTH
PE33438-24	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED
PE33438-36	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 36" CABLE LENGTH
PE33438-48	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 48" CABLE LENGTH
PE33438-60	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 60" CABLE LENGTH
PE33438-72	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 72" CABLE LENGTH
PE33438LF-12	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 12" CABLE LENGTH
PE33438LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED
PE33438LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 36" CABLE LENGTH
PE33438LF-60	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 60" CABLE LENGTH
PE33438LF-48	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 48" CABLE LENGTH
PE33438LF-72	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; BNC MALE TO UHF MALE; 50 OHM, RG214/U COAX, DOUBLE SHIELDED; 72" CABLE LENGTH
PE33439-12	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 12" CABLE LENGTH
PE33439-24	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX
PE33439-48	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 48" CABLE LENGTH
PE33439-36	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 36" CABLE LENGTH
PE33439-60	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 60" CABLE LENGTH
PE33439LF-12	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 12" CABLE LENGTH
PE33439-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 72" CABLE LENGTH
PE33439LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX
PE33439LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 36" CABLE LENGTH
PE33439LF-48	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 48" CABLE LENGTH
PE33439LF-60	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 60" CABLE LENGTH
PE33439LF-72	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG11A/U COAX; 72" CABLE LENGTH
PE33440-12	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE SHIELDED; 12" CABLE LENGTH
PE33440-24	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE SHIELDED
PE33440-48	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE SHIELDED; 48" CABLE LENGTH
PE33440-36	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE SHIELDED; 36" CABLE LENGTH
PE33440-60	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE SHIELDED; 60" CABLE LENGTH
PE33440-72	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE SHIELDED; 72" CABLE LENGTH

PE33441-12	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 12" CABLE LENGTH
PE3344-12	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE SHIELDED; 12" CABLE LENGTH
PE33441-24	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX
PE33441-36	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 36" CABLE LENGTH
PE33441-48	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 48" CABLE LENGTH
PE33441-60	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 60" CABLE LENGTH
PE33441LF-12	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 12" CABLE LENGTH
PE33441LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX
PE33441LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 36" CABLE LENGTH
PE33441LF-48	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 48" CABLE LENGTH
PE33441-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 72" CABLE LENGTH
PE3344-18	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE SHIELDED; 18" CABLE LENGTH
PE33441LF-60	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 60" CABLE LENGTH
PE33441LF-72	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG59B/U COAX; 72" CABLE LENGTH
PE33442-12	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG223/U COAX, DOUBLE SHIELDED; 12" CABLE LENGTH
PE33442-24	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG223/U COAX, DOUBLE SHIELDED
PE3344-24	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE SHIELDED
PE33442-48	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG223/U COAX, DOUBLE SHIELDED; 48" CABLE LENGTH
PE33442-60	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG223/U COAX, DOUBLE SHIELDED; 60" CABLE LENGTH
PE33442-72	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG223/U COAX, DOUBLE SHIELDED; 72" CABLE LENGTH
PE33443-48	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 48" CABLE LENGTH
PE33443-60	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 60" CABLE LENGTH
PE33443-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 72" CABLE LENGTH
PE33443-36	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 36" CABLE LENGTH
PE3344-36	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE SHIELDED; 36" CABLE LENGTH
PE33443LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX
PE33442-36	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG223/U COAX, DOUBLE SHIELDED; 36" CABLE LENGTH
PE33443LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 36" CABLE LENGTH
PE33443-24	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX
PE33444-24	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG400/U COAX, DOUBLE SHIELDED
PE33443LF-48	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 48" CABLE LENGTH
PE33443LF-60	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 60" CABLE LENGTH
PE33443LF-72	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 72" CABLE LENGTH
PE33444-12	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG400/U COAX, DOUBLE SHIELDED; 12" CABLE LENGTH
PE33444-36	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG400/U COAX, DOUBLE SHIELDED; 36" CABLE LENGTH
PE33443LF-12	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 12" CABLE LENGTH
PE33443-12	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG179B/U COAX; 12"

CABLE LENGTH		
PE33444-72	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG400/U COAX, DOUBLE SHIELDED;
72" CABLE LENGTH		
PE33444-60	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG400/U COAX, DOUBLE SHIELDED;
60" CABLE LENGTH		
PE33445-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG187A/U COAX; 72"
CABLE LENGTH		
PE33445LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM,
RG187A/U COAX		
PE33445-12	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG187A/U COAX; 12"
CABLE LENGTH		
PE33445LF-48	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM,
RG187A/U COAX; 48" CABLE LENGTH		
PE33445-48	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG187A/U COAX; 48"
CABLE LENGTH		
PE33444-48	Pasternack Enterprises	CABLE ASSEMBLY; BNC MALE TO BANANA PLUG; 50 OHM, RG400/U COAX, DOUBLE SHIELDED;
48" CABLE LENGTH		
PE33445LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM,
RG187A/U COAX; 36" CABLE LENGTH		
PE33445LF-12	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM,
RG187A/U COAX; 12" CABLE LENGTH		
PE3344-48	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE
SHIELDED; 48" CABLE LENGTH		
PE33445LF-60	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM,
RG187A/U COAX; 60" CABLE LENGTH		
PE33446-24	Pasternack Enterprises	CABLE ASSEMBLY; BANANA PLUG TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE
SHIELDED		
PE33445-24	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG187A/U COAX
PE33445LF-72	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM,
RG187A/U COAX; 72" CABLE LENGTH		
PE3344-6	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE
SHIELDED; 6" CABLE LENGTH		
PE33445-36	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG187A/U COAX; 36"
CABLE LENGTH		
PE33445-60	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG187A/U COAX; 60"
CABLE LENGTH		
PE3344-60	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE
SHIELDED; 60" CABLE LENGTH		
PE33446-36	Pasternack Enterprises	CABLE ASSEMBLY; BANANA PLUG TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE
SHIELDED; 36" CABLE LENGTH		
PE33446-48	Pasternack Enterprises	CABLE ASSEMBLY; BANANA PLUG TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE
SHIELDED; 48" CABLE LENGTH		
PE33446-60	Pasternack Enterprises	CABLE ASSEMBLY; BANANA PLUG TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE
SHIELDED; 60" CABLE LENGTH		
PE3344-72	Pasternack Enterprises	CABLE ASSEMBLY; SMA MALE TO SMA MALE RIGHT ANGLE; 50 OHM, RG316-DS COAX, DOUBLE
SHIELDED; 72" CABLE LENGTH		
PE33446-72	Pasternack Enterprises	CABLE ASSEMBLY; BANANA PLUG TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE
SHIELDED; 72" CABLE LENGTH		
PE33447-12	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG216/U COAX; 12"
CABLE LENGTH		
PE33447-24	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG216/U COAX
PE33447-36	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG216/U COAX; 36"
CABLE LENGTH		
PE33447-48	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG216/U COAX; 48"
CABLE LENGTH		
PE33447-60	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG216/U COAX; 60"
CABLE LENGTH		
PE33446-12	Pasternack Enterprises	CABLE ASSEMBLY; BANANA PLUG TO BANANA PLUG; 50 OHM, RG142B/U COAX, DOUBLE
SHIELDED; 12" CABLE LENGTH		
PE33447-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC MALE TO 75 OHM BNC FEMALE; 75 OHM, RG216/U COAX; 72"
CABLE LENGTH		
PE33448-24	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX
PE33448-36	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 36"
CABLE LENGTH		
PE33448-12	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 12"
CABLE LENGTH		
PE33448-60	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 60"
CABLE LENGTH		
PE33448-72	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 72"

CABLE LENGTH

PE33448-48	Pasternack Enterprises	CABLE ASSEMBLY; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 48" CABLE LENGTH
PE33448LF-12	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 12" CABLE LENGTH
PE33448LF-24	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX
PE33448LF-36	Pasternack Enterprises	CABLE ASSEMBLY; LEAD-FREE SOLDER; 75 OHM BNC FEMALE TO 75 OHM BNC FEMALE; 75 OHM, RG6A/U COAX; 36" CABLE LENGTH
PIC17C44-16/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-16/L	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-16E/L	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-16/PQ	Microchip Technology	High-performance 8-Bit CMOS EPROM, ROM microcontroller
PIC17C44-16E/P	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-16/PT	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-16E/PQ	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-16E/PT	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-16I/P	Microchip Technology	High-performance 8-Bit CMOS EPROM, ROM microcontroller
PIC17C44-25/P	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-16I/JW	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-16I/L	Microchip Technology	High-performance 8-Bit CMOS EPROM, ROM microcontroller
PIC17C44-25/PT	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-16I/PQ	Microchip Technology	High-performance 8-Bit CMOS EPROM, ROM microcontroller
PIC17C44-16I/PT	Microchip Technology	High-performance 8-Bit CMOS EPROM, ROM microcontroller
PIC17C44-16I/P	Microchip Technology	High-performance 8-Bit CMOS EPROM, ROM microcontroller
PIC17C44-25/L	Microchip Technology	Bits number of 8 Memory configuration 8192x16 Memory type OTP Microprocessor/controller features 2 PWM, Watchdog , 2 Captures , USART Frequency clock 25 MHz Memory size 8 Kb
PIC17C44-25/PQ	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-25E/PQ	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-25E/PT	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-25E/L	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-25I/JW	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-25I/L	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-25I/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-25/JW	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-25I/PQ	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-25I/PT	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-25E/P	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-25I/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33/JW	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33/PQ	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-33/PT	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-33E/L	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-33E/P	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...
PIC17C44-33/L	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33I/JW	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44/JW	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44T	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44T-08/JW	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33I/L	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33I/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44T-08/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33I/P	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44T-08/L	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33I/PQ	Microchip Technology	High-Performance 8 Bit CMOS EPROM Microcontroller
PIC17C44-33I/PT	Microchip Technology	High-Performance 8-Bit CMOS EPROM/ROM Microcontroller
PIC17C44-33E/PQ	Microchip Technology	A newer device is available. Please consider PIC18F442. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...

PIC17C756T-08/L Microchip Technology High-Performance 8-Bit CMOS EPROM Microcontrollers

PHM020 Polyfet RF Devices Power RF Amplifier

PIC17C756AT-33E/PT Microchip Technology A newer device is available. Please consider PIC18F6520. This powerful 8.25 MIPS (121 nanosecond instruction execution) yet ...

PHM022 Polyfet RF Devices Power RF Amplifier

PHM12NQ20T Philips Semiconductors / NXP Semiconductors TrenchMOS Standard Level FET

PHM15NQ20T Philips Semiconductors / NXP Semiconductors SMD, TrenchMOS Power Amp., 200V 17.5A 62.5W, MOS-FET N-Channel enhanced

PHM1880-15 M/A-COM / Tyco Electronics Wireless Power Module, 15W 1805 - 1880 MHz

PHM15NQ20T/T3 Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 200V 17.5A 8SOT-685 T/R

PHM18NQ15T Philips Semiconductors / NXP Semiconductors TrenchMOS Standard Level FET

PHM21NQ15T Philips Semiconductors / NXP Semiconductors TrenchMOS standard level FET

PHM25NQ10T Philips Semiconductors / NXP Semiconductors TrenchMOS Standard Level FET

PHM017-3 Polyfet RF Devices Power Rf Amplifiers

PHM25NQ10T/T3 Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 100V 30.7A 8SOT-685-1 T/R

PHM30NQ10T Philips Semiconductors / NXP Semiconductors TrenchMOS Standard Level FET

PHM5601 Nihon Inter Electronics MOSFET MODULE Single 560A/150V

PHMB300B12 Nihon Inter Electronics IGBT MODULE Single 300A 1200V

PHMB300A6 Nihon Inter Electronics IGBT MODULE Single 300A 600V

PHMB800A6 Nihon Inter Electronics IGBT MODULE Single 800A 600V

PHMB600B12 Nihon Inter Electronics IGBT MODULE Single 600A 1200V

PHMKDG Vishay Siliconix Capacitors

PHMB600A6 Nihon Inter Electronics IGBT MODULE Single 600A 600V

PHMB1200B12 Nihon Inter Electronics IGBT MODULE Single 1200A 1200V

PHM8001 Nihon Inter Electronics MOSFET MODULE Single 900A/150A

PHMB400A6 Nihon Inter Electronics IGBT MODULE Single 400A 600V

PHMB800B12 Nihon Inter Electronics IGBT MODULE Single 800A 1200V

PHMKP . . . Vishay Telefunken Line Frequency Capacitors 50/60Hz, Type PhMKP

PHMB400B12 Nihon Inter Electronics IGBT MODULE Single 400A 1200V

PHMKDGF Vishay Siliconix Capacitors

PHMKP . . .RECTAN Vishay Telefunken PhMKP rectangular Power Factor

PHMKP 250-200 IBR/X Vishay Telefunken MKP-AC Filter Capacitors, Tubular Case, without Fuse, Type PhMKP250-200IBR/X

PHMB200B12 Nihon Inter Electronics IGBT MODULE Single 200A 1200V

PHMKP 250-600 IBR Vishay Telefunken MKP-AC Filter Capacitors, Tubular Case, without Fuse, Type PhMKP250-600IBR

PHMKPG 400/6/37.5 Vishay Telefunken MKP-AC Filter Capacitors, Rectangular Case 37.5 mm, Type PhMKPg400/6/37.5

PHMKP...-DR/PHMKPG...-DR Vishay Telefunken Line Frequency Capacitors 50/60Hz, Type PhMKP . . . DR

PHMKPG 1400-33IB Vishay Telefunken MKP-AC Filter Capacitors, Tubular Case, with Fuse, Type PhMKPg1400-33IB

PHMKP G 250/14/37.5 Vishay Telefunken MKP-AC Filter Capacitors, Rectangular Case 37.5 mm, Type PhMKPg250/14/37.5

PHMKP . . .CYLIND Vishay Telefunken PhMKP cylindrical Power Factor

PHMKPG 440.3.30 Vishay Telefunken MKP-AC Filter Capacitors, Tubular Case, with Fuse, Type PhMKPg440.3.30

PHMKPG 440-1248UF/3 Vishay Telefunken MKP-AC Filter Capacitors, Rectangular Case, Type PhMKPg440-1248uF/3

PHMKPG 690-1600UF Vishay Telefunken MKP-AC Filter Capacitors, Rectangular Case, Type PhMKPg690-1600 uF

PHMKPG37.5 Vishay Siliconix MKP-AC-Filter Capacitors, Dry, Self-healing, Without Fuse

PHMKPG400 Vishay Siliconix MKP-AC-FilteruCapacitors, Dry, Self-healing, Without Fuse

PHMKPG6 Vishay Siliconix MKP-AC-FilteruCapacitors, Dry, Self-healing, Without Fuse

PHMKPGxx Vishay Siliconix MKP-AC-Filter Capacitors / Dry / Self-healing / Without Fuse

PHN1018T3 Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS transistor Logic level FET

PHN1013 Philips Semiconductors / NXP Semiconductors TrenchMOS transistor

PHN1013T/R Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 10A 8SOT-96

PHMKP . . .DW Vishay Telefunken PhMKP rectangular, Filter type Power Factor

PHN1015T3 Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS transistor Logic level

PHN1018 Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor Logic Level FET

PHN1015 Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor Logic Level

PHN1011 Philips Semiconductors / NXP Semiconductors TrenchMOS transistor Logic level FET

PHN103T-01 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode field-effect transistor

PHN105 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode MOS transistor

PHN110T3 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode MOS transistor

PHN203,518 NXP Semiconductors / Philips Semiconductors Dual N-channel Trenchmos logic level FET - Configuration: Dual N-channel ; ID DC: 6.3 A; Qgd (typ): 3 nC; RDS(on): 30@10V55@4.5V mOhm; VDSmax: 30 V; Package: SOT96-1 (SO8); Container: Reel Dry Pack, SMD, 13"

PHN203/T3 Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 6.3A 8SOT-96-1 T/R

PHN203/T3 Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 6.3A 8SOT-96-1 T/R

PHN205 Philips Semiconductors / NXP Semiconductors Dual N-Channel Enhancement Mode MOS Transistor

PHN103T/T3 Philips Semiconductors / NXP Semiconductors FET Transistor: Enhancement: N Channel: 0.6V Threshold: ID 8.6A: Tape and Reel

PHN110 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode MOS transistor

PHN203 Philips Semiconductors / NXP Semiconductors Dual N-channel enhancement mode TrenchMOS transistor

PHN210 Philips Semiconductors / NXP Semiconductors Dual N-channel enhancement mode TrenchMOS transistor

PHN210,118 NXP Semiconductors / Philips Semiconductors Dual N-channel enhancement mode TrenchMOS transistor - Configuration: Dual N-channel ; ID DC: 3.4 A; RDS(on): 100@10V200@4.5V mOhm; VDSmax: 30 V; Package: SOT96-1 (SO8); Container: Tape reel smd

PHN103 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode MOS transistor

PHN103T Philips Semiconductors / NXP Semiconductors SMD, TrenchMOS Power Amp., 30V 8.6A 6.25W, MOS-FET N-Channel enhanced

PHN210T Philips Semiconductors / NXP Semiconductors Dual N-channel enhancement mode

PHN210T,118 NXP Semiconductors / Philips Semiconductors Dual N-channel enhancement mode TrenchMOS transistor - Configuration: Dual N-channel ; ID DC: 3.4 A; Qgd (typ): 0.7 nC; RDS(on): 100@10V/200@4.5V mOhm; VDSmax: 30 V; Package: SOT96-1 (SO8); Container: Tape reel smd

PHN210T/R Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 2.8A 8SOT-96-1 T/R

PHN210T/T3 Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 3.4A 8SOT-96-1 T/R

PHN603S Philips Semiconductors / NXP Semiconductors TrenchMOS/ Schottky diode array Three phase brushless d.c. motor driver

PHN405 Philips Semiconductors / NXP Semiconductors 4 N-channel 60 mohm FET array enhancement mode MOS transistors

PHN603ST3 Philips Semiconductors / NXP Semiconductors TrenchMOS/ Schottky diode array Three phase brushless d.c. motor driver

PHN70308 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode TrenchMOS transistor array

PHN103T/R Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 8.5A 8SOT-96-1

PHN210/T3 Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 30V 3.4A 8SO-8 T/R

PHN70308T3 Philips Semiconductors / NXP Semiconductors N-channel enhancement mode TrenchMOS transistor array

PHN708 Philips Semiconductors / NXP Semiconductors 7 N-Channel 80 mohm FET Array Enhancement Mode MOS Transistor

PHOI04-85 Tyco Electronics CW Power Transistor, 85W 30 - 400 MHz

PHOI04-I6 Tyco Electronics CW Power Transistor, 16W 30 - 400 MHz

PHP04-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 4: 5: RATHRU

PHP02-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 2: 5: RATHRU

PHP03-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 3: 5: RATHRU

Photo MOS Relay Panasonic / NAI S Photo MOS Relay Part Number System

Photodiode EMCORE Corporation 1 x 4 GaAs PIN Photodiode Array

PHP-100 Mini-Circuits Filter: High Pass Filter 16.5MHz To 2.2GHz

PHP09-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 9: 5: RATHRU

PHP-1000 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz

PHP07-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 7: 5: RATHRU

PHP101NQ04T NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 12.6 nC; RDS(on): 8@10V mOhm; VDSmax: 40 V

PHP-1000 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz

PHP101NQ03LT Philips Semiconductors / NXP Semiconductors Logic Level FET

PHP08-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 8: 5: RATHRU

PHP101NQ03LT,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS logic level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 8 nC; RDS(on): 5.5@10V/7.5@5V mOhm; VDSmax: 30 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP101NQ04T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS standard level FET, SOT78 (TO-220AB), Tube pack

PHP-100 Mini-Circuits Filter: High Pass Filter 16.5MHz To 2.2GHz

PHP10-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 10: 5: RATHRU

PHP10N40 Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP10N60E Philips Semiconductors / NXP Semiconductors Metal oxide N-channel FET, Enhancement Type

PHP10N40E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated

PHP1025 Philips Semiconductors / NXP Semiconductors P-channel enhancement mode MOS transistor

PHP108NQ03LT Philips Semiconductors / NXP Semiconductors Logic Level FET

PHP110NQ08T Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 75V 75A 3TO-220

PHP110NQ06LT,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos logic level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 17 nC; RDS(on): 7@10V/8.4@5V/9.3@4.5V mOhm; VDSmax: 55 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP110NQ08LT Philips Semiconductors / NXP Semiconductors N/A

PHP1035 Philips Semiconductors / NXP Semiconductors P-channel enhancement mode MOS transistor

PHP110NQ08T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 48.2 nC; RDS(on): 9@10V mOhm; VDSmax: 75 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP109 Philips Semiconductors / NXP Semiconductors P-Channel Enhancement Mode MOS Transistor

PHP112 Philips Semiconductors / NXP Semiconductors P-channel enhancement mode MOS transistor

PHP10N10E Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP112N06T Philips Semiconductors / NXP Semiconductors N-Channel Enhancement Mode Field-Effect Transistor

PHP119NQ06T Philips Semiconductors / NXP Semiconductors N/A

PHP11-5.00 Altech Corporation Connector: Terminal Blocks Connector: HDR: 11: 5: RATHRU

PHP11N06LT Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS Transistor Logic Level FET

PHP11N50E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated

PHP119NQ06T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 17 nC; RDS(on): 7.1@10V mOhm; VDSmax: 55 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP110NQ06LT Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS logic level FET

PHP120 Microsemi Corporation Transient Absorption Zener

PHP120-G Sensitron Semiconductor DIODE TVS SINGLE UNI-DIR 170V 15000W

PHP120H1 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP120H2 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP120H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP125 Philips Semiconductors / NXP Semiconductors P-channel enhancement mode MOS transistor

PHP125N06LT Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Logic Level FET

PHP125N06T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET

PHP129NQ04LT Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS logic level FET

PHP12N10E Philips Semiconductors / NXP Semiconductors PowerMOS Transistor

PHP12NQ15T Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor

PHP130N03LT Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Logic Level FET
 PHP130N03T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET
 PHP13N40E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated
 PHP143NQ04T Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 40V 75A 3TO-220 RAIL
 PHP143NQ04T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 16 nC; RDS(on): 5.2@10V mOhm; VDSmax: 40 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP14NQ20T Philips Semiconductors / NXP Semiconductors TrenchMOS transistor
 PHP-150 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP-150 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP152NQ03LT Philips Semiconductors / NXP Semiconductors N/A
 PHP152NQ03LTA Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS logic level FET
 PHP15N06E Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP153NQ08LT Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 75V 75A 3TO-220
 PHP160NQ08T NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 28 nC; RDS(on): 5.6@10V mOhm; VDSmax: 75 V
 PHP160NQ08T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS standard level FET, SOT78 (TO-220AB), Tube pack
 PHP165NQ08T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS SiliconMAX standard level FET, SOT78 (TO-220AB), Tube pack
 PHP174NQ04LT Philips Semiconductors / NXP Semiconductors TrenchMOS Power Amp., 40V 75A 250W, MOS-FET N-Channel enhanced
 PHP-175 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP-175 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP176NQ04T Philips Semiconductors / NXP Semiconductors Transistor Mosfet N-CH 40V 75A 3TO-220 RAIL
 PHP18NQ10T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS transistor - Configuration: Single N-channel ; ID DC: 18 A; Qgd (typ): 8 nC; RDS(on): 243@10V mOhm; VDSmax: 100 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP176NQ04T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 22.2 nC; RDS(on): 4.3@10V mOhm; VDSmax: 40 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP18N20E Philips Semiconductors / NXP Semiconductors PowerMOS Transistor
 PHP18NQ11T,127 NXP Semiconductors / Philips Semiconductors Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 18 A; Qgd (typ): 8 nC; RDS(on): 90@10V mOhm; VDSmax: 110 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP18NQ10T Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor
 PHP18NQ20T Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor
 PHP191NQ06LT,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos logic level FET - Configuration: Single N-channel ; ID DC: 75 A; Qgd (typ): 37.6 nC; RDS(on): 3.7@10V4.2@5V4.4@4.5V mOhm; VDSmax: 55 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP193NQ06T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS standard level FET
 PHP18NQ11T Philips Semiconductors / NXP Semiconductors TrenchMOS standard level FET
 PHP191NQ06LT Philips Semiconductors / NXP Semiconductors Logic level N-channel enhancement mode field-effect transistor in a plastic package using TrenchMOS technology
 PHP1N60 Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP1N60E Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP-200 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP1N50E Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP-200 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP206 Philips Semiconductors / NXP Semiconductors Dual P-channel enhancement mode MOS transistor
 PHP208H2 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP208 Microsemi Corporation Transient Absorption Zener
 PHP208H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP208H1 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP20N06 Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP20N06E Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP20N06T Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor
 PHP20N06T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS transistor - Configuration: Single N-channel ; ID DC: 20.3 A; Qgd (typ): 6 nC; RDS(on): 75@10V mOhm; VDSmax: 55 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP20NQ20T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS Transistor
 PHP20NQ20T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS transistor - Configuration: Single N-channel ; ID DC: 20 A; Qgd (typ): 22 nC; RDS(on): 130@10V mOhm; VDSmax: 200 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP210N03LT Philips Semiconductors / NXP Semiconductors N-channel enhancement mode field-effect transistor
 PHP212L Philips Semiconductors / NXP Semiconductors Dual P-channel enhancement mode MOS transistor
 PHP212 Philips Semiconductors / NXP Semiconductors Dual P-Channel Enhancement Mode MOS Transistor
 PHP21N06LT Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor - Logic Level FET
 PHP21N06 Philips Semiconductors / NXP Semiconductors TrenchMOSO transistor Standard level FET
 PHP21N06LT,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS transistor Logic level FET - Configuration: Single N-channel ; ID DC: 19 A; Qgd (typ): 5.4 nC; RDS(on): 70@10V75@5V mOhm; VDSmax: 55 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP21N06T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET
 PHP21N06T,127 NXP Semiconductors / Philips Semiconductors TrenchMOS transistor Standard level FET; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP220N03MT Philips Semiconductors / NXP Semiconductors N-channel enhancement mode field-effect transistor
 PHP222 Philips Semiconductors / NXP Semiconductors Dual P-channel enhancement mode MOS transistor
 PHP222NQ04LT Philips Semiconductors / NXP Semiconductors N-channel TrenchMOSTM logic level FET
 PHP225,118 NXP Semiconductors / Philips Semiconductors Dual P-channel enhancement mode MOS transistor - Configuration: Dual P-channel ;

ID DC: 2.3 A; RDS(on): 250@10V400@4.5V mOhm; VDSmax: 30 V; Package: SOT96-1 (SO8); Container: Tape reel smd

PHP225 Philips Semiconductors / NXP Semiconductors Dual P-Channel Enhancement Mode MOS Transistor

PHP225NQ04T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS standard level FET

PHP225/T3 NXP Semiconductors / Philips Semiconductors Dual P-channel enhancement mode MOS transistor - Configuration: Dual P-channel ; ID DC: 2.3 A; RDS(on): 250@10V400@4.5V mOhm; VDSmax: 30 V

PHP23NQ10T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS Transistor

PHP23NQ11T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS standard level FET

PHP23NQ11T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 23 A; Qgd (typ): 10 nC; RDS(on): 70@10V mOhm; VDSmax: 110 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP23NQ15T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS Transistor

PHP24 Microsemi Corporation Transient Absorption Zener

PHP24H1 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP24H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP24H2 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP24N03LT Philips Semiconductors / NXP Semiconductors TrenchMOS transistor Logic level FET

PHP24N03T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET

PHP-25 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz

PHP250 Microsemi Corporation Transient Absorption Zener

PHP250 Microsemi Corporation Transient Absorption Zener

PHP250H1 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP250H2 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP250H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP26N10E Philips Semiconductors / NXP Semiconductors PowerMOS Transistor

PHP27NQ11T Philips Semiconductors / NXP Semiconductors TrenchMOS Power Amp., 110V 28A 107W, MOS-FET N-Channel enhanced

PHP27NQ11T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 28 A; Qgd (typ): 12 nC; RDS(on): 50@10V mOhm; VDSmax: 110 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP27NQ10T Philips Semiconductors / NXP Semiconductors TrenchMOS Power Amp., 100V 23A 100W, MOS-FET N-Channel enhanced

PHP28NQ15T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS standard level FET

PHP28NQ15T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS standard level FET - Configuration: Single N-channel ; ID DC: 28.5 A; Qgd (typ): 7.5 nC; RDS(on): 65.0@10V mOhm; VDSmax: 150.0 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP29N08T NXP Semiconductors / Philips Semiconductors TrenchMOS standard level FET - Configuration: Single N-channel ; ID DC: 27 A; Qgd (typ): 9 nC; RDS(on): 50@11V mOhm; VDSmax: 75 V

PHP29N08T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS standard level FET, SOT78 (TO-220AB), Tube pack

PHP2N40 Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP2N40E Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP2N50 Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP2N50E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated

PHP2N60E Philips Semiconductors / NXP Semiconductors 600 V, power MOS transistor avalanche energy rated

PHP2N60 Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP-300 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz

PHP3055 Philips Semiconductors / NXP Semiconductors PowerMOS transistor Logic level FET

PHP3055E Philips Semiconductors / NXP Semiconductors TrenchMOS standard level FET

PHP3055E,127 NXP Semiconductors / Philips Semiconductors TrenchMOS standard level FET - Configuration: Single N-channel ; ID DC: 10.3 A; Qgd (typ): 3.2 nC; RDS(on): 150@10V mOhm; VDSmax: 60 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP3055L Philips Semiconductors / NXP Semiconductors PowerMOS Transistor Logic Level FET

PHP30H1 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP30H2 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP3055L-B Philips Semiconductors / NXP Semiconductors PowerMOS transistor Logic level FET

PHP30H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR

PHP30NQ15T Philips Semiconductors / NXP Semiconductors N-Channel Enhancement Mode Field-Effect Transistor

PHP30NQ15T,127 NXP Semiconductors / Philips Semiconductors N-channel enhancement mode field-effect transistor - Configuration: Single N-channel ; ID DC: 29 A; Qgd (typ): 20 nC; RDS(on): 63@10V mOhm; VDSmax: 150 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP32N06L Philips Semiconductors / NXP Semiconductors N/A

PHP30 Microsemi Corporation Transient Absorption Zener

PHP32N06LT Philips Semiconductors / NXP Semiconductors N-Channel Enhancement Mode Field Effect Transistor

PHP32N06LT,127 NXP Semiconductors / Philips Semiconductors N-channel enhancement mode field effect transistor - Configuration: Single N-channel ; ID DC: 34 A; Qgd (typ): 8.5 nC; RDS(on): 37@10V40@5V mOhm; VDSmax: 60 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP33N10 Philips Semiconductors / NXP Semiconductors PowerMOS Transistor

PHP33NQ20T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS standard level FET, SOT78 (TO-220AB), Tube pack

PHP34NQ10T Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor

PHP34NQ11T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 35 A; Qgd (typ): 18 nC; RDS(on): 40@10V mOhm; VDSmax: 110 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP36N03LT Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS logic level FET

PHP36N03LT,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS logic level FET - Configuration: Single N-channel ; ID DC: 43.4 A; Qgd (typ): 2.9 nC; RDS(on): 17@10V22@4.5V mOhm; VDSmax: 30 V; Package: SOT78 (TO-220AB); Container: Tube pack

PHP36N06E Philips Semiconductors / NXP Semiconductors PowerMOS transistor

PHP37N06 Philips Semiconductors / NXP Semiconductors TrenchMOS transistor Logic level FET

PHP37N06LT Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Logic Level FET

PHP37N06T Philips Semiconductors / NXP Semiconductors TrenchMOS transistor Standard level FET

PHP3N20E Philips Semiconductors / NXP Semiconductors PowerMOS Transistor
 PHP33NQ20T NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS standard level FET - Configuration: Single N-channel ; ID DC: 32.7 A; Qgd (typ): 9.6 nC; RDS(on): 77@10V mOhm; VDSmax: 200 V
 PHP3N20L Philips Semiconductors / NXP Semiconductors PowerMOS Transistor Logic Level FET
 PHP3N40E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated
 PHP3N50E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated
 PHP3N60E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated
 PHP3N60 Philips Semiconductors / NXP Semiconductors MOSFET POWER TRANSISTOR 600V 4.8A 125W TO-220AB
 PHP-400 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP42N03LT Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Logic Level FET
 PHP42N03T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET
 PHP440 Microsemi Corporation Transient Absorption Zener
 PHP3N50 Philips Semiconductors / NXP Semiconductors PowerMOS Transistor
 PHP44N06T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET
 PHP45N03LT-06 Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS transistor
 PHP45N03LT Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor
 PHP45N03LTA Philips Semiconductors / NXP Semiconductors Logic Level FET
 PHP45N03T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET
 PHP440H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP45NQ10T Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor
 PHP34NQ11T Philips Semiconductors / NXP Semiconductors N/A
 PHP45NQ10T,127 NXP Semiconductors / Philips Semiconductors N-channel TrenchMOS transistor - Configuration: Single N-channel ; ID DC: 47 A; Qgd (typ): 25 nC; RDS(on): 25@10V mOhm; VDSmax: 100 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP44N06LT Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Logic Level FET
 PHP45NQ11T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS standard level FET
 PHP45NQ11T,127 NXP Semiconductors / Philips Semiconductors N-channel Trenchmos standard level FET - Configuration: Single N-channel ; ID DC: 47 A; Qgd (typ): 23.2 nC; RDS(on): 25@10V mOhm; VDSmax: 105 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP45NQ15T Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS standard level FET
 PHP4N40 N/A NPN SILICON PLANAR MEDIUM POWER TRANSISTORS
 PHP47NQ10T Philips Semiconductors / NXP Semiconductors N-channel Enhancement Mode Field-effect Transistor
 PHP4N40E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated
 PHP4N50 Philips Semiconductors / NXP Semiconductors PowerMOS Transistor
 PHP4N50E Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP4ND40E Philips Semiconductors / NXP Semiconductors PowerMOS transistors FREDFET, Avalanche energy rated
 PHP500 Microsemi Corporation Transient Absorption Zener
 PHP4N60E Philips Semiconductors / NXP Semiconductors PowerMOS transistors Avalanche energy rated
 PHP500 Microsemi Corporation Transient Absorption Zener
 PHP500 Microsemi Corporation Transient Absorption Zener
 PHP500H1 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP500H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP50N03LT Philips Semiconductors / NXP Semiconductors N-channel TrenchMOS transistor Logic level FET
 PHP50N03T Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Standard Level FET
 PHP50N06 Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP50N06LT Philips Semiconductors / NXP Semiconductors TrenchMOS transistor Logic level FET
 PHP50N06T Philips Semiconductors / NXP Semiconductors N-Channel Enhancement MOSFET
 PHP-50 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP52N06T Philips Semiconductors / NXP Semiconductors N-channel enhancement mode field-effect transistor
 PHP54N06T NXP Semiconductors / Philips Semiconductors N-channel enhancement mode field-effect transistor - Configuration: Single N-channel ; ID DC: 54 A; Qgd (typ): 11.5 nC; RDS(on): 20@10V mOhm; VDSmax: 55 V
 PHP54N06T,127 NXP Semiconductors / Philips Semiconductors N-channel enhancement mode field-effect transistor - Configuration: Single N-channel ; ID DC: 54 A; Qgd (typ): 11.5 nC; RDS(on): 20@10V mOhm; VDSmax: 55 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP55N03LT Philips Semiconductors / NXP Semiconductors N-Channel TrenchMOS Transistor Logic Level FET
 PHP55N03T Philips Semiconductors / NXP Semiconductors TrenchMOS transistor Standard level FET
 PHP55N03LTA Philips Semiconductors / NXP Semiconductors N-channel enhancement mode field-effect transistor
 PHP55N04LT Philips Semiconductors / NXP Semiconductors N-Channel Trenchmos Transistor Logic Level FET
 PHP5N40 Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP5N40E Philips Semiconductors / NXP Semiconductors PowerMOS transistor
 PHP5N20E Philips Semiconductors / NXP Semiconductors PowerMOS Transistor
 PHP60 Microsemi Corporation Transient Absorption Zener
 PHP52N06T,127 NXP Semiconductors / Philips Semiconductors N-channel enhancement mode field-effect transistor - Configuration: Single N-channel ; ID DC: 52 A; Qgd (typ): 11.5 nC; RDS(on): 22@10V mOhm; VDSmax: 60 V; Package: SOT78 (TO-220AB); Container: Tube pack
 PHP60H3 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PHP-600 Mini-Circuits HIGH PASS Filter 16.5 MHz to 2.2 GHz
 PHP60H2 Protek Devices AC POWER BUS VOLTAGE SUPPRESSOR
 PCW1D-B16-AAB252 Bourns, Inc. Resistor: POT: 2.5K: 20%: 3/4: 1: 22: Thru-Hole
 PCW1D-B16-CAB102 Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn
 PCW1D-B16-CAB102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn
 PCW1D-B16-CEB103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn
 PCW1D-B16-BAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PHP60N06LT Philips Semiconductors / NXP Semiconductors TrenchMOS Transistor Logic Level FET

PCW1D-B16-AAB253 Bourns, Inc. Resistor: POT: 25K: 20%: 3/4: 1: 22: Thru-Hole

PCW1D-B16-AAB254 Bourns, Inc. Resistor: POT: 250K: 20%: 3/4: 1: 22: Thru-Hole

PCW1D-B16-AAB501 Bourns, Inc. Resistor: POT: 500: 20%: 3/4: 1: 22: Thru-Hole

PCW1D-B16-CEB105L Bourns, Inc. Panel Mount Potentiometers 1M 20% Sq 22mm Single Turn

PCW1D-B16-BAB103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B16-KAB501 Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-B16-KAB502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B16-MAB753 Bourns, Inc. Panel Mount Potentiometers 75K 20% Sq 22mm Single Turn

PCW1D-B16-KAB501L Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-B16-MAB753L Bourns, Inc. Panel Mount Potentiometers 75K 20% Sq 22mm Single Turn

PCW1D-B16-KAB103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B16-KAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAB102 Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B16-KAB104L Bourns, Inc. Panel Mount Potentiometers 100K 20% Sq 22mm Single Turn

PCW1D-B16-KAB104 Bourns, Inc. Panel Mount Potentiometers 100K 20% Sq 22mm Single Turn

PCW1D-B24-BAB102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B24-BAB103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAB104L Bourns, Inc. Panel Mount Potentiometers 100K 20% Sq 22mm Single Turn

PCW1D-B24-BAB502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-BAD103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAD502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-BCB502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-BAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAB501L Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-B24-BCD103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAB253L Bourns, Inc. Panel Mount Potentiometers 25K 20% Sq 22mm Single Turn

PCW1D-B24-CAB502 Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-BAB503L Bourns, Inc. Panel Mount Potentiometers 50K 20% Sq 22mm Single Turn

PCW1D-B24-BAD103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-BAD502 Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-CAB502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-EAD103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-EAD103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B24-ECB102 Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B24-ECB102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B24-GAB102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B24-NAD104L Bourns, Inc. Panel Mount Potentiometers 100K 20% Sq 22mm Single Turn

PCW1D-B24-CEB105 Bourns, Inc. Panel Mount Potentiometers 1M 20% Sq 22mm Single Turn

PCW1D-B24-EAB501L Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-B32-BAB502 Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B24-FAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B32-BAB502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B32-BCB102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B24-KAD104L Bourns, Inc. Panel Mount Potentiometers 100K 20% Sq 22mm Single Turn

PCW1D-C24-BAB102 Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-B36-BAB253L Bourns, Inc. Panel Mount Potentiometers 25K 20% Sq 22mm Single Turn

PCW1D-C24-BAB102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-C24-BAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-B28-BAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-C24-BAB254L Bourns, Inc. Panel Mount Potentiometers 250K 20% Sq 22mm Single Turn

PCW1D-C24-BAB104L Bourns, Inc. PANEL CONTROL - 22MM-ST-CP

PCW1D-C24-BAB501L Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-C24-BAB502 Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-B32-BCB102 Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-C24-BAB502L Bourns, Inc. Panel Mount Potentiometers 5K 20% Sq 22mm Single Turn

PCW1D-C24-BAB503L Bourns, Inc. Panel Mount Potentiometers 50K 20% Sq 22mm Single Turn

PCW1D-C24-BAD103 Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-C24-BAD102L Bourns, Inc. Panel Mount Potentiometers 1K 20% Sq 22mm Single Turn

PCW1D-C24-BAD103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-C24-BBB203L Bourns, Inc. Panel Mount Potentiometers 20K 20% Sq 22mm Single Turn

PCW1D-C24-BEG105L Bourns, Inc. Panel Mount Potentiometers 1M 20% Sq 22mm Single Turn

PCW1D-C24-GAB103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-C24-GAD103L Bourns, Inc. Panel Mount Potentiometers 10K 20% Sq 22mm Single Turn

PCW1D-C24-EAB501 Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-C24-EAB501L Bourns, Inc. Panel Mount Potentiometers 500ohm 20% Sq 22mm Single Turn

PCW1D-C24-BAB503 Bourns, Inc. Panel Mount Potentiometers 50K 20% Sq 22mm Single Turn

PCW1D-C24-KAB104L Bourns, Inc. Panel Mount Potentiometers 100K 20% Sq 22mm Single Turn

PCW1D-C24-KAB504 Bourns, Inc. Panel Mount Potentiometers 500K 20% Sq 22mm Single Turn